



Status: Februar 2024

≤ 8-core license



	Setting 1	Setting 2
CPUs	Intel Xeon w5-3425 (12 cores, 3.2GHz, 30MB Cache, HT Off)	AMD Ryzen Threadripper PRO 7945WX (12 cores, 4.7GHz, 64MB Cache, HT off)
RAM	8 * 16GB DDR5-4800MHZ, ECC	8 * 16GB DDR5-4800MHZ, ECC
Graphic Card	Nvidia RTX A2000, 6 GDDR6, ECC	Nvidia RTX A2000, 6 GDDR6, ECC
Storage	OS: 1TB NVMe, m.2 Data: 4TB HDD(CRM)	OS: 1TB NVMe, m.2 Data: 4TB HDD(CRM)
Operating System	Windows 10 22H2 Redhat 8.8 with Kernel 4.18	Redhat 8.8 with Kernel 4.18
Others	-	-

16-core license



	Setting 1	Setting 2
CPUs	Intel Xeon Gold 6416H (18 cores, 2.2GHz, 45MB Cache, HT Off)	AMD EPYC 9274F (24 cores, 4.05GHz, 256MB Cache, HT off)
RAM	8 * 16GB DDR5-4800MHZ, Reg ECC	12 * 16GB DDR5 4800MHz, Reg ECC
Graphic Card	Nvidia RTX A2000, 12GB GDDR6, ECC	Nvidia RTX A2000, 12GB GDDR6, ECC
Storage	OS: 1TB NVMe, m.2 Data: 4TB NVMe, m.2	OS: 1TB NVMe, m.2 Data: 4TB NVMe, m.2
Operating System	Redhat 8.8 with Kernel 4.18 Windows 11	Redhat 8.8 with Kernel 4.18
Others	SuperMicro X13SEI-F	SuperMicro

32-core license



	Setting 1	Setting 2
CPUs	2 * Intel Xeon Gold 6416H (2*18 cores, 4.2 GHz, 45MB cache, HT off)	2 * AMD EPYC 9254 (2 * 24 cores, 2.9 GHz, 128MB cache, HT off)
RAM	16 * 16 GB Samsung DDR5 4800 MHz, Reg ECC	24 * 16 GB Samsung DDR5 4800 MHz, Reg ECC
Graphic Card	Nvidia RTX A4000 with 16 GB GDDR6, ECC	Nvidia RTX A4000 with 16 GB GDDR6, ECC
Storage	OS: 1TB SSD, NVMe, m.2 Data: 4TB SSD, NVMe, m.2	OS: 1TB NVMe, m.2 Data: 4TB NVMe, m.2
Operating System	Redhat 8.8 with Kernel 4.18	Redhat 8.8 with Kernel 4.18
Others	Supermicro CSE-732D3-903B	Supermicro AS -2025HS-TNR